

## Item 3401815



The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Item 3401834

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Item 3401853

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and

installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

MPN: 10535. SKU: 3401815, 3401834, 3401853, 3401871, 3401889. GTIN: 07394000214646, 07394000214820, 07394000215001, 07394000215186, 07394000215360. NRF: 3401815, 3401834, 3401853, 3401871, 3401889

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood

<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet

<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating



**Item 3401815**  
The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401834**

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401853**

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401811, 3401828, 3401848, 3401866, 3401885. GTIN: 07394000214608, 07394000214783, 07394000214967, 07394000215148, 07394000215322. NRF: 3401811, 3401828, 3401848, 3401866, 3401885

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s

<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey

<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating



**Item 3401815**  
The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401834**

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401853**

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401873. NRF: 3401873

**Item Number**

3401815

<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	700

<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood

<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating

---

**PURUS**



**Item 3401815**  
The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401834**

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401853**

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401817, 3401836, 3401855, 3401892. GTIN: 07394000214660, 07394000214844, 07394000215025, 07394000215384. NRF: 3401817, 3401836, 3401855, 3401892

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s

<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey

<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating



**Item 3401815**  
The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401834

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401853

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401814, 3401833, 3401852, 3401869, 3401888. GTIN: 07394000214639, 07394000214813, 07394000214998, 07394000215179, 07394000215353. NRF: 3401814, 3401833, 3401852, 3401869, 3401888

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s

<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey

<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating



**Item 3401815** The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401834**

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401853**

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401809, 3401827, 3401847, 3401865, 3401884. GTIN: 07394000214592, 07394000214776, 07394000214950, 07394000215131, 07394000215315. NRF: 3401809, 3401827, 3401847, 3401865, 3401884

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s

<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey

<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating



**Item 3401815**  
The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401834**

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401853**

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401812, 3401831, 3401849, 3401867, 3401886. GTIN: 07394000214615, 07394000214790, 07394000214974, 07394000215155, 07394000215339. NRF: 3401812, 3401831, 3401849, 3401867, 3401886

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s

<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey

<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating



**Item 3401815**  
The Purus Line Tile Insert 600 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401834**

The Purus Line Tile Insert 700 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### **Item 3401853**

The Purus Line Tile Insert 800 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This

linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401871

The Purus Line Tile Insert 900 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

#### Item 3401889

The Purus Line Tile Insert 1000 is a complete linear floor drain with a gable 50 mm outlet. It can be installed in wooden or concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room.

## Specifications

MPN: 10535. SKU: 3401816, 3401835, 3401854, 3401872, 3401891. GTIN: 07394000214653, 07394000214837, 07394000215018, 07394000215193, 07394000215377. NRF: 3401816, 3401835, 3401854, 3401872, 3401891

<b>Item Number</b>	3401815
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	600
<b>Version</b>	With frame and grating

<b>Item Number</b>	3401834
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s

<b>Size</b>	700
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401853
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	800
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401871
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey

<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	900
<b>Version</b>	With frame and grating
<b>Item Number</b>	3401889
<b>Dimension</b>	Ø50 mm
<b>Floor Construction</b>	Concrete/Wood
<b>Floor Covering</b>	Tiles
<b>Function</b>	End outlet
<b>Item Color</b>	Grey
<b>Material</b>	ABS, PP, Stainless steel 1.4301, Wood
<b>Pressure Flow Temp</b>	0,8 l/s
<b>Size</b>	1000
<b>Version</b>	With frame and grating