



Item 52739

The Purus Line Living 600 is a complete floor drain with a Tile Insert grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel Tile Insert grate and frame, 50 mm to 1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

Item 52745

The Purus Line Living 800 is a complete floor drain with a Tile Insert grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel Tile Insert grate and frame, 50 mm to 1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

Specifications

The Purus Line Living 600 is a complete floor drain with a Tile Insert grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel Tile Insert grate and frame, 50 mm to

1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

| | |
|---------------------------|---|
| Item Number | 52739 |
| Dimension | Ø50 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Tiles |
| Function | Side outlet, low-rise |
| Item Color | Grey |
| Material | PP, ABS, Stainless steel 1.4301, PC/ABS |
| Pressure Flow Temp | 0,6 l/s |
| Size | 600 |
| Version | With frame and grating |
| Item Number | 52745 |
| Dimension | Ø50 mm |
| Floor Construction | Concrete flooring |
| Floor Covering | Tiles |
| Function | Side outlet, low-rise |
| Item Color | Grey |
| Material | PP, ABS, Stainless steel 1.4301, PC/ABS |

**Pressure Flow
Temp**

0,6 l/s

Size

800

Version

With frame and grating