



Item 52742

The Purus Line Living 600 is a complete floor drain with a Twist grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel patterned Twist grate, 50 mm to 1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

Item 52748

The Purus Line Living 800 is a complete floor drain with a Twist grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel patterned Twist grate, 50 mm to 1½" UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

Specifications

The Purus Line Living 600 is a complete floor drain with a Twist grate and Low horizontal 50 mm outlet floor drain. It can be installed in wooden or concrete joists. The Purus Line Living linear drain for tiled floor finishes comes with a removable NOOD water trap, stainless steel patterned Twist grate, 50 mm to 1½"

UK adapter for solvent welding and installation kits for both wooden joists and concrete joists. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain.

Item Number	52742
Dimension	Ø50 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Side outlet, low-rise
Item Color	Grey
Material	PP, ABS, Stainless steel 1.4301, PC/ABS
Pressure Flow Temp	0,6 l/s
Size	600
Version	With frame and grating
Item Number	52748
Dimension	Ø50 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Side outlet, low-rise
Item Color	Grey
Material	PP, ABS, Stainless steel 1.4301, PC/ABS

**Pressure Flow
Temp**

0,6 l/s

Size

800

Version

With frame and grating