
PURUS



Item 05185-24

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×400 mm.

Item 05185-25

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×500 mm.

Item 05185-35

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 300×500 mm.

Item 05185-44

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 400×400 mm.

Item 05185-54

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 500×400 mm.

Item 05185-64

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 600×400 mm.

Item 05185-65

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 600×500 mm.

Item 05175-22

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×200 mm.

Item 05185-153

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×300 mm.

Item 05185-154

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×400 mm.

Item 05185-155

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions

150×500 mm.

Item 05175-13

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×300 mm.

Item 05185-23

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×300 mm.

Item 05185-43

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 400×300 mm.

Specifications

Item Number	05185-24
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	200×400 mm

Surface	Pickled
Version	L15 grate
Item Number	05185-25
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	200×500 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-35
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	300×500 mm
Surface	Pickled

Item Number	05185-44
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	400×400 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-54
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	500×400 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-64
Function	For Purus stainless channel
Item Color	Stainless

Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	600×400 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-65
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	600×500 mm
Surface	Pickled
Version	L15 grate
Item Number	05175-22
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15

Size	200×200 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-153
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
. Ср	
Size	150×300 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-154
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	150×400 mm
Surface	Pickled
Surface	Tickled

Item Number	05185-155
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	150×500 mm
Surface	Pickled
Version	L15 grate
Item Number	05175-13
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	100×300 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-23
Function	For Purus stainless channel
Item Color	Stainless

Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	200×300 mm
Surface	Pickled
Version	L15 grate
Item Number	05185-43
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	400×300 mm
Surface	Pickled
Version	L15 grate

