


Item 05155-153

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 150×300 mm.



Item 05155-154

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 150×400 mm.

Item 05155-155

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 150×500 mm.

Item 05155-1510

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 150×1000 mm.

Specifications

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly.

Dimensions 150×300 mm.

Item Number	05155-153
Function	For Purus Channel 150
Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	150×300 mm
Version	K3 pattern

Item Number	05155-154
Function	For Purus Channel 150
Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	150×400 mm
Version	K3 pattern

Item Number	05155-155
Function	For Purus Channel 150
Item Color	White
Material	PE

Pressure Flow Temp	K3
Size	150×500 mm
Version	K3 pattern
Item Number	05155-1510
Function	For Purus Channel 150
Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	150×1000 mm
Version	K3 pattern