


Item 05155-23

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 200×300 mm.

Item 05155-24

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 200×400 mm.

Item 05155-25

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 200×500 mm.

Item 05155-210

Plastic grating K3 is made of UV-stabilized polyethylene (PE).The grating is a non-slip grid with load class K3 (300 kg) for walking traffic/barefoot friendly. Dimensions 200×1000 mm.

Specifications

Item Number	05155-23
Function	For Purus Channel 200


Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	200×300 mm
Version	K3 pattern


Item Number	05155-24
Function	For Purus Channel 200
Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	200×400 mm
Version	K3 pattern

Item Number	05155-25
Function	For Purus Channel 200
Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	200×500 mm

Version	K3 pattern

Item Number	05155-210
Function	For Purus Channel 200
Item Color	White
Material	PE
Pressure Flow Temp	K3
Size	200×1000 mm
Version	K3 pattern


25,3


300/400/500/1000
200