



Item 856542

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856546

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $800 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856550

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856554

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is  $1000 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel

Item 856558

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $1100 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856562

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856566

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $1400 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the

environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856570

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is  $1500 \times 100$  mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856574

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item 856578

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a strainer/grating due to the environment and an outlet house made of plastic or acid-resistant stainless steel.

Item Number	856542
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	600×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856546
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	800×100 mm

**Surface Pickled** Version Do not forget grid/outlet house **Item Number** 856550 **Floor** Concrete flooring Construction **Floor Covering Tiles Function** Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Size** 900×100 mm **Surface** Pickled Do not forget grid/outlet house Version **Item Number** 856554 **Floor** Concrete flooring Construction **Floor Covering Tiles Function** Central outlet **Item Color Stainless** 

Acid-resistant stainless steel 1.4404

**Material** 

Outlet Dimension

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

**Size** 1000×100 mm

**Surface** Pickled

**Version** Do not forget grid/outlet house

**Item Number** 856558

Floor Concrete flooring Construction

Floor Covering Tiles

**Function** Central outlet

**Item Color** Stainless

Material Acid-resistant stainless steel 1.4404

Outlet Dimension

Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

**Size** 1100×100 mm

**Surface** Pickled

**Version** Do not forget grid/outlet house

Item Number 856562

Floor Concrete flooring
Construction

**Floor Covering** Tiles

**Function** Central outlet

**Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm Size 1200×100 mm **Surface Pickled** Do not forget grid/outlet house Version **Item Number** 856566 **Floor** Concrete flooring Construction **Floor Covering Tiles Function** Central outlet **Item Color Stainless Material** Acid-resistant stainless steel 1.4404 **Outlet Dimension** Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm **Size** 1400×100 mm **Surface** Pickled Version Do not forget grid/outlet house **Item Number** 856570 Floor Concrete flooring **Construction** 

Floor Covering	Tiles	
Function	Central outlet	
Item Color	Stainless	
Material	Acid-resistant stainless steel 1.4404	
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	
Size	1500×100 mm	
Surface	Pickled	
Version	Do not forget grid/outlet house	
Item Number	856574	
Floor Construction	Concrete flooring	
Floor Covering	Tiles	
Function	Central outlet	
Item Color		
	Stainless	
Material	Stainless Acid-resistant stainless steel 1.4404	
Material Outlet Dimension		
	Acid-resistant stainless steel 1.4404  Bottom/side in plastic or stainless steel	
Outlet Dimension	Acid-resistant stainless steel 1.4404  Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm	

Item Number	856578
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
<b>Outlet Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	2500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Dimension (mm)	LxW (mm)
600x100	602x101
800x100	802x101
900x100	902x101
1000x100	1002x101
1100x100	1102x101
1200x100	1202x101
1400x100	1402x101
1500x100	1502x101
2000x100	2002x101
2500x100	2502x101

