



## Item 855230

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## Item 855232

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## Item 855241

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## Item 855243

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### Item 855245

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### Item 855247

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### Item 855249

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

#### Item 855582

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### Item 855786

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### Item 855831

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

<b>Item Number</b>	855230
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	600×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house

<b>Item Number</b>	855232
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	800×100 mm

<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>Item Number</b>	855241
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	1000×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>Item Number</b>	855243
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless

<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	1200×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house

<b>Item Number</b>	855245
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet

<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	1500×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house

<b>Item Number</b>	855247
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin

<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	2000×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>Item Number</b>	855249
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	2500×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>Item Number</b>	855582
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	900×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>Item Number</b>	855786
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	1100×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house

<b>Item Number</b>	855831
<b>Dimension</b>	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Resin
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Size</b>	1400×100 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house

Dimension (mm)	LxW (mm)
600x100	602x101
800x100	802x101
900x100	902x101
1000x100	1002x101
1100x100	1102x101
1200x100	1202x101
1400x100	1402x101
1500x100	1502x101
2000x100	2002x101
2500x100	2502x101

