

Item 856541



Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856545

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856549

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856553

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856557

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856561

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856565

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the

environment and outlet house in plastic or acid-resistant stainless steel.

Item 856569

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856573

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item 856577

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Item Number	856541
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	600×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856545
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless

Material	Acid-resistant stainless steel 1.4404
Size	800×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856549
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	900×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856553
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles

Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	1000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856557
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	1100×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856561
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm

Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	1200×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856565
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	1400×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856569
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	1500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Item Number	856573
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	2000×100 mm

Surface	Pickled
Version	Do not forget grid/outlet house
Item Number	856577
Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Central outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Size	2500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house