



## Item 818910

Purus channel combo is made of acid-resistant stainless steel with side outlet Ø75 mm for installation in concrete. The floor channel is 300x300x150 och är avsedd för massagolv som ytskick. There is always residual water in the channel about 50 mm of water forms the water trap in the bottom of the channel and is equipped with a cleaning plug. The floor channel requires an almost continuous flow to function properly. Unsuitable in environments that set hygiene requirements.

## Item 818914

Purus channel combo is made of acid-resistant stainless steel with side outlet Ø75 mm for installation in concrete. The floor channel is 500x300x150 och är avsedd för massagolv som ytskick. There is always residual water in the channel about 50 mm of water forms the water trap in the bottom of the channel and is equipped with a cleaning plug. The floor channel requires an almost continuous flow to function properly. Unsuitable in environments that set hygiene requirements.

## Specifications

|                           |                   |
|---------------------------|-------------------|
| <b>Item Number</b>        | 818910            |
| <b>Floor Construction</b> | Concrete flooring |
| <b>Floor Covering</b>     | Resin             |
| <b>Function</b>           | Side outlet       |

|                           |                                       |
|---------------------------|---------------------------------------|
| <b>Item Color</b>         | Stainless                             |
| <b>Material</b>           | Acid-resistant stainless steel 1.4404 |
| <b>Outlet Dimension</b>   | Ø75 mm                                |
| <b>Pressure Flow Temp</b> | 1,3 l/s                               |
| <b>Size</b>               | 300x300x150 mm                        |
| <b>Surface</b>            | Pickled                               |
| <b>Version</b>            | Do not forget grid/grating            |

|                           |                   |
|---------------------------|-------------------|
| <b>Item Number</b>        | 818914            |
| <b>Floor Construction</b> | Concrete flooring |
| <b>Floor Covering</b>     | Resin             |

|                 |             |
|-----------------|-------------|
| <b>Function</b> | Side outlet |
|-----------------|-------------|

|                           |                                       |
|---------------------------|---------------------------------------|
| <b>Item Color</b>         | Stainless                             |
| <b>Material</b>           | Acid-resistant stainless steel 1.4404 |
| <b>Outlet Dimension</b>   | Ø75 mm                                |
| <b>Pressure Flow Temp</b> | 1,3 l/s                               |
| <b>Size</b>               | 500x300x150 mm                        |
| <b>Surface</b>            | Pickled                               |
| <b>Version</b>            | Do not forget grid/grating            |

| Dimension<br>(mm) | LxWxH (mm)      | Ø (mm) |
|-------------------|-----------------|--------|
| 300x300x150       | 303 x 303 x 150 | 75     |
| 300x300x200       | 303 x 303 x 200 | 110    |
| 500x300x150       | 503 x 303 x 150 | 75     |
| 500x300x200       | 503 x 303 x 200 | 110    |

