

Item 3401816

The Purus Line Tile Insert 600 is a super low-level linear floor drain with a height of just 59mm and a horizontal 50 mm outlet. It is designed for installation in concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room. For wooden joists with poured concrete, you should use the side or gable outlet versions instead.



Item 3401835

The Purus Line Tile Insert 700 is a super low-level linear floor drain with a height of just 59mm and a horizontal 50 mm outlet. It is designed for installation in concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room. For wooden joists with poured concrete, you should use the side or gable outlet versions instead.

Item 3401854

The Purus Line Tile Insert 800 is a super low-level linear floor drain with a height of just 59mm and a horizontal 50 mm outlet. It is designed for installation in concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room. For wooden joists with poured concrete, you should use the side or gable outlet versions instead.

Item 3401872

The Purus Line Tile Insert 900 is a super low-level linear floor drain with a height of just 59mm and a horizontal 50 mm outlet. It is designed for installation in concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room. For wooden joists with poured concrete, you should use the side or gable outlet versions instead.

Item 3401891

The Purus Line Tile Insert 1000 is a super low-level linear floor drain with a height of just 59mm and a horizontal 50 mm outlet. It

is designed for installation in concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room. For wooden joists with poured concrete, you should use the side or gable outlet versions instead.

Specifications

The Purus Line Tile Insert 600 is a super low-level linear floor drain with a height of just 59mm and a horizontal 50 mm outlet. It is designed for installation in concrete joists. The Purus Line Tile Insert comes complete with a removable NOOD water trap, strainer, stainless steel clamping ring, stainless steel frame, Tile Insert grate and installation kit. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. This linear floor drain can be installed against the wall or elsewhere in the room. For wooden joists with poured concrete, you should use the side or gable outlet versions instead.

Item Number	3401816
Dimension	Ø50 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301, Wood

Pressure Flow Temp	0,6 l/s
Size	600
Version	With frame and grating
Item Number	3401835
Dimension	Ø50 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301, Wood
Pressure Flow Temp	0,6 l/s
Size	700
Version	With frame and grating
Item Number	3401854
Dimension	Ø50 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Side outlet, low-rise

Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301, Wood
Pressure Flow Temp	0,6 l/s
Size	800
Version	With frame and grating
Item Number	3401872
Dimension	Ø50 mm
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301, Wood
Pressure Flow Temp	0,6 l/s
Size	900
Version	With frame and grating
Item Number	3401891
Dimension	Ø50 mm
Floor Construction	Concrete flooring

Floor Covering	Tiles
Function	Side outlet, low-rise
Item Color	Grey
Material	ABS, PP, Stainless steel 1.4301, Wood
Pressure Flow Temp	0,6 l/s
Size	1000
Version	With frame and grating