

Purus Channel 100

Narrow channel with high capacity

PURUS





Purus Channel 100

- for design quality and functionality

Purus is now introducing a floor channel with a width of only 100 mm but with a flow capacity equalling that of broader channels. It's suitable for installation in most environments: heavy-duty industry with channels equipped with high-load mesh gratings, in kitchens, hospitals, laboratories where hygiene is important, but also in environments where interior design is important e.g. in bare-foot areas, in spa-hotels where the channels then would be equipped with designed gratings.

The Purus Channel 100 is an economical product made flexible by combining the stainless steel channel with different types of gratings depending on the environment and load class required. Also, the gully connecting the channel with the waste pipe system is available in both plastic and stainless steel versions, trapped or un-trapped. The channels comes in a low built version with a low gradient mid-channel outlet or in a deep-end outlet version with a well defined gradient.



NOTE! In addition to the standard range, Purus channel 100 can be made in any length and as desired.

Advantages:


- Narrow channel with a high flow capacity
- Multiple choice of gullies
- Flexible design for multi-purpose use
- Hygienic design
- Durable
- Quality stainless steel
- Made in Sweden

Specify on order

- Floor type
- Grating
- Dimension
- Gully and position
- Accessories (optional)
- Acid-resistant (optional)



Purus Channel 100 is made in stainless steel grade AISI 304 (EN 1.4301) but can also be made in grade AISI 316L (EN 1.4404). The outlet (gully) can be delivered in either stainless steel or plastic (polypropylene).



**Applications for Purus
Channel System:**

- Food processing industries
- Chemical industries
- Car parks
- Pedestrian areas
- Schools
- Hospitals
- Prisons
- Sporting facilities
- Industry in general
- Commercial areas

Purus Channel 100

Floor type


Purus Channel 100 is available in 7 different versions with 4 different for tile flooring:




Concrete flooring



Resin flooring




Vinyl flooring



Tile flooring
With glueing flange
Tile insert



Tile flooring
With clamping frame
Tile Insert







Tile flooring
With glueing flange



Tile flooring
With clamping frame

Grating


Purus Channel 100 comes with 4 different types of stainless steel gratings and for 3 different load classes:

<p>Load class:</p> <ul style="list-style-type: none">- L15 (1500 kg)- M125 (12500 kg) <p>Mesh grating</p>  <p>Suitable for light or high load vehicular traffic e.g. heavy kitchen carts, fork-lift trucks or in car parks and factories.</p>	<p>Load class:</p> <ul style="list-style-type: none">- K3 (300 kg) <p>Suitable in areas without vehicular traffic such as spa-hotels, hospitals etc.</p> <p>Tile Insert</p>  <p>Wave</p>  <p>Chess</p> 
---	---

Dimension

Purus Channel 100 are available in 10 standard lengths of gratings. Bespoke lengths can be made to order.

- 600 x 100
- 800 x 100
- 900 x 100
- 1000 x 100
- 1100 x 100
- 1200 x 100
- 1400 x 100
- 1500 x 100
- 2000 x 100
- 2500 x 100



Note! This is the length of the grating. The overall size of the channel is larger. Dimensions longer than 1000 mm will be delivered with multiple gratings.

Purus Channel 100

Gully and Position

Outlet - stainless steel

- Side Ø75
- Bottom Ø75
- Bottom Ø110

Outlet - plastic (PP)

- Side Ø50 (low built)
- Side Ø50
- Side Ø75
- Bottom Ø75

Position

- 1) Deep-end w/defined gradient
- 2) Mid-channel w/low gradient

1)



2)



Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75 *)	2,5 l/s
PR855539	Bottom outlet Ø75 *)	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low *)	1,5 l/s
PR855639	Side outlet Ø50 high *)	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s


Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 *) SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 *) SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 *) SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s




*) untrapped


Gully plastic




Gully, low built
Side outlet Ø50



Gully
Side outlet Ø50



Gully
Side outlet Ø75




Gully
Bottom outlet Ø75


Gully stainless steel



Gully
Side outlet Ø75



Gully
Bottom outlet Ø75



Gully
Bottom outlet Ø110

Purus Channel 100



CONCRETE FLOORING

Mid-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR111060GM	PR111060MM	PR111060CM	PR111060WM
800x100	PR111080GM	PR111080MM	PR111080CM	PR111080WM
900x100	PR111090GM	PR111090MM	PR111090CM	PR111090WM
1000x100	PR111100GM	PR111100MM	PR111100CM	PR111100WM
1100x100	PR111110GM	PR111110MM	PR111110CM	PR111110WM
1200x100	PR111120GM	PR111120MM	PR111120CM	PR111120WM
1400x100	PR111140GM	PR111140MM	PR111140CM	PR111140WM
1500x100	PR111150GM	PR111150MM	PR111150CM	PR111150WM
2000x100	PR111200GM	PR111200MM	PR111200CM	PR111200WM
2500x100	PR111250GM	PR111250MM	PR111250CM	PR111250WM

Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s


Deep-end-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR111060GG	PR111060MG	PR111060CG	PR111060WG
800x100	PR111080GG	PR111080MG	PR111080CG	PR111080WG
900x100	PR111090GG	PR111090MG	PR111090CG	PR111090WG
1000x100	PR111100GG	PR111100MG	PR111100CG	PR111100WG
1100x100	PR111110GG	PR111110MG	PR111110CG	PR111110WG
1200x100	PR111120GG	PR111120MG	PR111120CG	PR111120WG
1400x100	PR111140GG	PR111140MG	PR111140CG	PR111140WG
1500x100	PR111150GG	PR111150MG	PR111150CG	PR111150WG
2000x100	PR111200GG	PR111200MG	PR111200CG	PR111200WG
2500x100	PR111250GG	PR111250MG	PR111250CG	PR111250WG

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully scetches please see page 6.



Purus Channel 100



RESIN FLOORING

Mid-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR151060GM	PR151060MM	PR151060CM	PR151060WM
800x100	PR151080GM	PR151080MM	PR151080CM	PR151080WM
900x100	PR151090GM	PR151090MM	PR151090CM	PR151090WM
1000x100	PR151100GM	PR151100MM	PR151100CM	PR151100WM
1100x100	PR151110GM	PR151110MM	PR151110CM	PR151110WM
1200x100	PR151120GM	PR151120MM	PR151120CM	PR151120WM
1400x100	PR151140GM	PR151140MM	PR151140CM	PR151140WM
1500x100	PR151150GM	PR151150MM	PR151150CM	PR151150WM
2000x100	PR151200GM	PR151200MM	PR151200CM	PR151200WM
2500x100	PR151250GM	PR151250MM	PR151250CM	PR151250WM

Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s


Deep-end-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR151060GG	PR151060MG	PR151060CG	PR151060WG
800x100	PR151080GG	PR151080MG	PR151080CG	PR151080WG
900x100	PR151090GG	PR151090MG	PR151090CG	PR151090WG
1000x100	PR151100GG	PR151100MG	PR151100CG	PR151100WG
1100x100	PR151110GG	PR151110MG	PR151110CG	PR151110WG
1200x100	PR151120GG	PR151120MG	PR151120CG	PR151120WG
1400x100	PR151140GG	PR151140MG	PR151140CG	PR151140WG
1500x100	PR151150GG	PR151150MG	PR151150CG	PR151150WG
2000x100	PR151200GG	PR151200MG	PR151200CG	PR151200WG
2500x100	PR151250GG	PR151250MG	PR151250CG	PR151250WG

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully sketches please see page 6.



Purus Channel 100



VINYL FLOORING

Mid-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR121060GM	PR121060MM	PR121060CM	PR121060WM
800x100	PR121080GM	PR121080MM	PR121080CM	PR121080WM
900x100	PR121090GM	PR121090MM	PR121090CM	PR121090WM
1000x100	PR121100GM	PR121100MM	PR121100CM	PR121100WM
1100x100	PR121110GM	PR121110MM	PR121110CM	PR121110WM
1200x100	PR121120GM	PR121120MM	PR121120CM	PR121120WM
1400x100	PR121140GM	PR121140MM	PR121140CM	PR121140WM
1500x100	PR121150GM	PR121150MM	PR121150CM	PR121150WM
2000x100	PR121200GM	PR121200MM	PR121200CM	PR121200WM
2500x100	PR121250GM	PR121250MM	PR121250CM	PR121250WM

Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s


Deep-end-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR121060GG	PR121060MG	PR121060CG	PR121060WG
800x100	PR121080GG	PR121080MG	PR121080CG	PR121080WG
900x100	PR121090GG	PR121090MG	PR121090CG	PR121090WG
1000x100	PR121100GG	PR121100MG	PR121100CG	PR121100WG
1100x100	PR121110GG	PR121110MG	PR121110CG	PR121110WG
1200x100	PR121120GG	PR121120MG	PR121120CG	PR121120WG
1400x100	PR121140GG	PR121140MG	PR121140CG	PR121140WG
1500x100	PR121150GG	PR121150MG	PR121150CG	PR121150WG
2000x100	PR121200GG	PR121200MG	PR121200CG	PR121200WG
2500x100	PR121250GG	PR121250MG	PR121250CG	PR121250WG

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully scetches please see page 6.



Purus Channel 100



TILE FLOORING, With glueing flange

Mid-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR141060GM	PR141060MM	PR141060CM	PR141060WM
800x100	PR141080GM	PR141080MM	PR141080CM	PR141080WM
900x100	PR141090GM	PR141090MM	PR141090CM	PR141090WM
1000x100	PR141100GM	PR141100MM	PR141100CM	PR141100WM
1100x100	PR141110GM	PR141110MM	PR141110CM	PR141110WM
1200x100	PR141120GM	PR141120MM	PR141120CM	PR141120WM
1400x100	PR141140GM	PR141140MM	PR141140CM	PR141140WM
1500x100	PR141150GM	PR141150MM	PR141150CM	PR141150WM
2000x100	PR141200GM	PR141200MM	PR141200CM	PR141200WM
2500x100	PR141250GM	PR141250MM	PR141250CM	PR141250WM

Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s


Deep-end-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR141060GG	PR141060MG	PR141060CG	PR141060WG
800x100	PR141080GG	PR141080MG	PR141080CG	PR141080WG
900x100	PR141090GG	PR141090MG	PR141090CG	PR141090WG
1000x100	PR141100GG	PR141100MG	PR141100CG	PR141100WG
1100x100	PR141110GG	PR141110MG	PR141110CG	PR141110WG
1200x100	PR141120GG	PR141120MG	PR141120CG	PR141120WG
1400x100	PR141140GG	PR141140MG	PR141140CG	PR141140WG
1500x100	PR141150GG	PR141150MG	PR141150CG	PR141150WG
2000x100	PR141200GG	PR141200MG	PR141200CG	PR141200WG
2500x100	PR141250GG	PR141250MG	PR141250CG	PR141250WG

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully sketches please see page 6.



Purus Channel 100



TILE FLOORING, With clamping frame

Mid-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR131060GM	PR131060MM	PR131060CM	PR131060WM
800x100	PR131080GM	PR131080MM	PR131080CM	PR131080WM
900x100	PR131090GM	PR131090MM	PR131090CM	PR131090WM
1000x100	PR131100GM	PR131100MM	PR131100CM	PR131100WM
1100x100	PR131110GM	PR131110MM	PR131110CM	PR131110WM
1200x100	PR131120GM	PR131120MM	PR131120CM	PR131120WM
1400x100	PR131140GM	PR131140MM	PR131140CM	PR131140WM
1500x100	PR131150GM	PR131150MM	PR131150CM	PR131150WM
2000x100	PR131200GM	PR131200MM	PR131200CM	PR131200WM
2500x100	PR131250GM	PR131250MM	PR131250CM	PR131250WM

Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s


Deep-end-outlet Channel with grating

Dimension	L15	M125	Chess	Wave
600x100	PR131060GG	PR131060MG	PR131060CG	PR131060WG
800x100	PR131080GG	PR131080MG	PR131080CG	PR131080WG
900x100	PR131090GG	PR131090MG	PR131090CG	PR131090WG
1000x100	PR131100GG	PR131100MG	PR131100CG	PR131100WG
1100x100	PR131110GG	PR131110MG	PR131110CG	PR131110WG
1200x100	PR131120GG	PR131120MG	PR131120CG	PR131120WG
1400x100	PR131140GG	PR131140MG	PR131140CG	PR131140WG
1500x100	PR131150GG	PR131150MG	PR131150CG	PR131150WG
2000x100	PR131200GG	PR131200MG	PR131200CG	PR131200WG
2500x100	PR131250GG	PR131250MG	PR131250CG	PR131250WG

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully scetches please see page 6.



Purus Channel 100



TILE FLOORING, With glueing flange - Tile Insert

Dimension	Mid-outlet Channel	Deep-end-outlet
600x100	PR161060TM	PR161060TG
800x100	PR161080TM	PR161080TG
900x100	PR161090TM	PR161090TG
1000x100	PR161100TM	PR161100TG
1100x100	PR161110TM	PR161110TG
1200x100	PR161120TM	PR161120TG
1400x100	PR161140TM	PR161140TG
1500x100	PR161150TM	PR161150TG
2000x100	PR161200TM	PR161200TG
2500x100	PR161250TM	PR161250TG


Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully scetches please see page 6.



Purus Channel 100

TILE FLOORING, With clamping frame - Tile Insert



Gully plastic

Article no.	Description	Cap.*
PR855538	Side outlet Ø75	2,5 l/s
PR855539	Bottom outlet Ø75	2,5 l/s
PR855538V	Side outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855539V	Bottom outlet Ø75, incl. grating and w-trap	1,3 l/s
PR855640V	Side outlet Ø50 low incl. grating and w-trap	0,5 l/s
PR855640	Side outlet Ø50 low	1,5 l/s
PR855639	Side outlet Ø50 high	1,8 l/s
PR855639V	Side outlet Ø50 high incl. grating and w-trap	1,0 l/s

Gully stainless steel

Article no.	Description	Cap.*
PR855534	Side outlet Ø75 SS PR100	2,5 l/s
PR855535	Bottom outlet Ø75 SS PR100	2,5 l/s
PR855536	Bottom outlet Ø110 SS PR100	3,0 l/s
PR855534V	Side outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855535V	Bottom outlet Ø75 SS PR100 incl. grating and w-trap	1,3 l/s
PR855536V	Bottom outlet Ø110 SS PR100 incl. grating and w-trap	1,4 l/s

For gully scetches please see page 6.





Floor Channels for all needs

- from standard to customized

Our commercial programme includes floor channels and floor gullies in stainless steel of highest quality. We keep in stock a standard assortment of commercial channels in various widths and lengths.

We also manufacture bespoke products. For our Stainless Steel Channels and gullies we have accessories such as sediment traps, filter buckets and special water traps.

Other gutters

PURUS CHANNEL 200

Floor channel with a 200 mm wide grating available in 3 load classes, K3, L15 and M125. Available for all types of floor covering and in a number of standard lengths and with several options of outlets and traps. Mid-channel or deep-end position of outlet.



PURUS CHANNEL 300

Floor channel with a 300 mm wide grating available in 3 load classes, K3, L15 and M125. Available for all types of floor coverings and in a number of standard lengths and with several options of outlets and traps. Outlets with high flow capacity, Mid-channel or deep-end position of outlet.



PURUS KITCHEN CHANNEL

Channels with a number of different dimensions and 2 standard depths. The outlet is placed centrally and has a high flow capacity.



PURUS INDUSTRIAL & LAUNDRY GULLY

Commercial floor gully with an in-built water trap for use in workshops, garages etc. Can also be ordered with a lint filter for residential or commercial laundries.



BESPOKE CHANNELS

The channels and gullies described above can be made in customised lengths. Or, we can make a completely customised channel. Need a 20 meter long channel? Extra outlets to further increase the flow capacity? Need a 1x1 meter grating on a deep channel to dispose of water from a sprinkler system?





Get the big picture!

Purus is one of Scandinavia's leading manufacturers of sanitaryware for bathrooms and kitchens. Our product areas are floor gullies, indoor waste systems, stainless steel interiors and stainless steel sanitaryware. We also manufacture bespoke products according to dimensions, choice of materials and load classes.

Our website, **www.purusgroup.com**, is not only a source of inspiration but also lets you search for resellers in your area and download installation instructions, dimensional drawings, certificates, etc.